AUTHOR INDEX, VOLUME 6

Abe, Y.: see Shimanouchi, T.

Adamec, V.: Temporary changes in electrical properties of polymer dielectrics due to ionizing radiation, 1241

Adams, G. C., and Stein, R. S.: Some studies of the crystallization of polychlorotrifluoroethylene copolymer films, 31

Adamse, J. W. C., Janeschitz-Kriegl, H., Otter, J. L. den, and Wales, J. L. S.: Some rheological properties of molten polypropylene, 871

Advani, R.: see Graessley, W. W.

Alexandrowicz, Z.: Second virial coefficients of polymers in good solvents: The case of polyelectrolytes, 1227

Ander, P.: see Sloniewsky, A. R.

Anzuino, G.: see Liquori, A. M.

Aubrey, D. W., and Barnatt, A.: Transition temperature and crystallinity in polyoctadecene-1, 241

Azcue, J. M.: see Boon, J.

Bair, H. E.: see Karasz, F. E.

Barnatt, A.: see Aubrey, D. W.

Bashaw, J., and Smith, K. J., Jr.: Thermoelasticity of networks in swelling equilibrium, 1041. Thermoelastic properties of networks of swelling equilibrium: Poly(vinyl alcohol), 1051

Bell, J. P., Slade, P. E., and Dumbleton, J. H.: Multiple melting in nylon 66, 1773

Berry, G. C.: Translational fictional constant of comb-branched polymers, 1551

Bestul, A. B.: see Chang, S. S.

Bianchi, U., and Peterlin, A.: Upturn effect in the non-Newtonian intrinsic viscosity of polymer solutions. II. Polyisobutylene in polybutene oil, 1011. Intrinsic viscosity of polymers of low molecular weight, 1759

Binks, A. E., and Sharples, A.: Electrical conduction in olefin oxide polymers, 407

Blundell, D. J.: see Williams, T.

Boni, K. A., Sliemers, F. A., and Stickney, P. B.: Development of gel permeation chromatography for polymer characterization. I. Operational variables, 1567. II. Universal calibration, 1579

Boon, J., and Azcue, J. M.: Crystallization kinetics of polymer–diluent mixtures. Influence of benzophenone on the spherulitic growth rate of isotactic polystyrene, 885

—, Challa, G., and Krevelen, D. W. van: Crystallization kinetics of isotactic polystyrene. I. Spherulite growth rate, 1791 II. Influence of thermal history on number of nuclei, 1835

Brown, N., and Ward, I. M.: Load drop at the upper yield point of a polymer, 607

Buchanan, D. R.: see Dumbleton, J. H.

Bullock, A. T., and Griffiths, W. E.: Fast passage dispersion signals in inhomogeneously broadened electron spin resonance spectra: Application to the measurement of the spin-lattice relaxation times of free radicals derived from esters and salts of poly(methacrylic acid), 1451

Burchard, W.: see Janeschitz-Kriegl, H.

Burmester, A. F., and Caldecourt, V. J.: Electrical transport through polystyrene films, 1639

Burns, J. R., and Turnbull, D.: Nucleation of crystallization in molten isotactic polybutene-1, 775

Bywater, S.: see Cowie, J. M. G.

Caldecourt, V. J.: see Burmester, A. F.

Canter, N. H.: Viscoelasticity of a butadiene–styrene block copolymer, 155

Carmichael, J. B.: Stochastic model for gel permeation separation of polymers, 517

Casassa, E. F., and Tagami, Y.: Statistical thermodynamics of polymer solutions. VI. Comblike branched molecules with branches placed randomly along the backbone, 63

Challa, G.: see Boon, J.

Chang, S. S., and Bestul, A. B.: Heat capacities for atactic polystyrene of narrow molecular weight distribution to 360°K., 849

Chappelear, D. C.: see Reik, R. F.
Chasset, R.: see Langley, N. R.
Choi, S. Y.: Determination of melt viscosity as a function of hydrostatic pressure in an extrusion rheometer, 2043
Clark, H. G.: see Sakaoku, K.
Clough, S. B., and Stein, R. S.: Multiple-order light scattering from ringed spherulites, 783
Corneliussen, R.: see Peterlin, A.
Costantino, L.: see Liquori, A. M.
Cowie, J. M. G., and Bywater, S.: Influence of microstructure on the hydrodynamic behavior of poly-α-methylstyrene, 499
Crescenzi, V., and Pispisa, B.: Interactions between Co(III) and Ni(II) complex ions and polyelectrolytes, 1093
Crugnola, A., Pegoraro, M., and Danusso, F.: High-temperature mechanical behavior of unplasticized poly(vinyl chloride), 1705
Crystal, R. G., and Hansen, D.: Morphology of cold-drawn nylon 66, 981
D'Alagni, M.: see Liquori, A. M.
Dammont, F. R., and Kwei, T. K.: Low-temperature dispersion related to methylene units of a polymer main chain, 457
Danusso, F.: see Crugnola, A.
Daum, U.: Flow birefringence and polydispersity, 141
Denecour, R. L., and Gent, A. N.: Bubble formation in vulcanized rubbers, 1853
Desper, C. R.: Graphical representation of polarized infrared absorption data for biaxially oriented polymers, 1203
Dickie, R. A.: see Langley, N. R.; Manke, R. G.
Donkai, N.: see Kotaka, T.
Duda, J. L., and Vrentas, J. S.: Diffusion in atactic polystyrene above the glass transition point, 675
Dumbleton, J. H.: Influence of crystallinity and orientation on sonic velocity and birefringence in poly(ethylene terephthalate) fibers, 795
—and Buchanan, D. R.: Annealing experiments of drawn nylon 66 fibers, 1527
—: see Bell, J. P.; Murayama, T.
DuPré, D. B.: see Tobolsky, A. V.
Dušek, K., and Patterson, D.: Transition in swollen polymer networks induced by intramolecular condensation, 1209
Eirich, F. R.: see Otocka, E. P.
Endō, R., Hinokuma, T., and Takeda, M.: Studies of solution properties of copolymers. II. Copolymer of maleic anhydride and styrene, 665
Enomoto, S., Kawai, Y., and Sugita, M.: Infrared spectrum of poly(vinylidene fluoride), 861
Evans, G. T.: see Sloniewsky, A. R.
Ferry, J. D.: see Langley, N. R.; Manke, R. G.; Sanders, J. F.; Valentine, R. H.
Fetters, L. J.: see Utracki, L. A.
Fleming, R. J.: Thermoluminescence of poly(methyl methacrylate) γ-irradiated at 77°K., 1283
Flory, P. J.: see Williams, A. D.
Frank, F. C., Ward, I. M., and Williams, T.: Calibration procedure for gel permeation chromatography, 1357
Frankenberg, C. A. v.: see Stewart, C. W.
Fujimoto, T., Ozaki, N., and Nagasawa, M.: Stress relaxation of monodisperse poly-α-methylstyrene, 129
Fujiwara, H.: see Nakajima, A.
Fukasawa, Y.: see Sakamoto, K.
Fukushima, A.: see Takahara, H.
Furuichi, J.: see Hikichi, K.; Tsutsumi, A.
Geil, P. H.: see Klement, J. J.
Gent, A. N., and Hirakawa, H.: Solvent-induced crack growth in rubbery block polymers, 1481
—: see Denecour, R. L.
Glegg, R. E., Ingerick, D., Parmerter, R. R., Salzer, J. S. T., and Warburton, R. S.: Acetylation of cellulose I and II studied by limiting viscosity and x-ray diffraction, 745
Graessley, W. W., Nagasubramanian, K., Advani, R., and Huetter, D. F.: Depolymerization studies on polyacetalaldehyde, 1021
— and Prentice, J. S.: Viscosity and normal stresses in branched polydisperse polymers, 1887
Griffiths, W. E.: see Bullock, A. T.
Hama, Y.: see Hara, T.
Hansen, D.: see Crystal, R. G.
Hara, T., Okamoto, A., Hama, Y., and Okamoto, S.: Nuclear magnetic resonance study of low molecular weight polychlorotrifluoroethylene, 961
Harrington, R. E., and Zimm, B. H.: Anomalous plugging of sintered glass filters by high molecular weight polymers, 294

Hendrickson, J. G.: Basic gel permeation chromatography studies. III. Mathematical analysis of peak spreading, 1903
Hermans, J. J.: Role of diffusion in gel permeation chromatography, 1217
Hikichi, K., Shibata, T., Tsutsumi, A., and Furuichi, J.: Nuclear magnetic resonance study of drawn poly(ethylene glycol), 653
—: see Tsutsumi, A.
Hinokuma, T.: see Endō, R.
Hirakawa, H.: see Gent, A. N.
Holdsworth, P. J., and Keller, A.: Ductile behavior of single crystal mats of an ethylene–propylene copolymer, 707
Homma, T.: see Valentine, R. H.
Huetter, D. F.: see Graessley, W. W.
Ibrahim, I. M.: see Spencer, H. G.
Inagaki, H.: see Kotaka, T.
Ingerick, D.: see Glegg, R. E.
Ishida, N.: see Sakamoto, K.
Ishihara, H.: see Iwamoto, R.
Ishikawa, K.: see Miyasaka, K.
Iwamoto, R., Saito, Y., Ishihara, H., and Tadokoro, H.: Structure of poly(ethylene oxide) complexes. II. Poy(ethylene oxide)–mercuric chloride clomplex, 1509
Iwasaki, M., and Sakai, Y.: Change with temperature of the ESR spectra of peroxy radicals trapped in irradiated polytetrafluoroethylene, 265
Jaffe, M., and Wunderlich, B.:sEffect of x-rays on extended chain crytals of polyoxymethylene, 825
Jain, N. L.: see Mandelkern, L.
Janacek, J., and Zahradnikova, A.: Influence of ether oxygen on the temperature position of the low-temperature dispersions of polymethacrylates, 1810
Janeschitz-Kriegl, H., and Burchard, W.: Flow birefringence of short-chain molecules: Cellulose tricarbanilates in benzophenone, 1953
—see Adamse, J. W. C.
Jannick, G.: Conformation and normal frequency distribution of polymer chains, 529
Joynson, C. W.: see Robertson, R. E.
Kamashima, K.: see Sugai, S.
Kaneko, M.: see Tsutsumi, A.
Karasz, F. E., Bair, H. E., and O'Reilly, J. M.: Thermodynamic properties of poly(2,6-dimethyl-1,4-phenylene ether), 1141
Karunakaran, K., and Santappa, M.: Solution properties of poly(methyl acrylate) and (1:1) poly(styrene-*co*-methyl acrylate), 713
Kase, S.: see Yabuta, S.
Kashiwabara, H.: see Nara, S.
Katz, D., and Salee, G.: Crosslinked oligoethylene glycols: Correlation between their structure and some rheological properties, 801
Katz, S.: see Saidel, G. M.
Kaustinen, H. M.: see Swenson, H. A.
Kaustinen, O. A.: see Swenson, H. A.
Kawai, H.: see Takahara, H.
Kawai, Y.: see Enomoto, S.
Keller, A.: see Holdsworth, P. J.; Millmouth, F. W.; Williams, T.
Kim, H., and Mandelkern, L.: Crystallization kinetics of stretched natural rubber, 181. Temperature dependence of the bulk crystallization rate of polymers, 695
—: see Mandelkern, L.
Klement, J. J., and Geil, P. H.: Growth and drawing of polyacrylonitrile crystals grown from solution, 1381
Kobayashi, M., Tsumura, K., and Tadokoro, H.: Infrared spectra of polymer solutions. I. Conformational stability of isotactic polymer chains in solution, 1493
Kojima, M.: Morphology of polypropylene crystals. III. Lamellar crystals of thermally decomposed polypropylene, 1255
Koningsveld, R., and Staverman, A. J.: Liquid–liquid phase separation in multicomponent polymer solutions. I. Statement of the problem and description of methods of calculation, 305. II. The critical state, 325. III. Cloud-point curves, 349. Polymer fractionation. I. The preparative problem, 367. II. The analytical problem, 383
Kotaka, T., and Donkai, N.: Sedimentation transport method for determination of molecular weight distributions, 1457
—, —, Ohnuma, H., and Inagaki, H.: Ultracentrifugation studies on copolymer solutions: Application of the Archibald method for determination of molecular weights, 1803
Krevelen, D. W. van: Boon, J.

Krigbaum, W. R., and Maruno, S.: Variation of crystallite orientation with degree of crystallinity: Isotactic polystyrene, 1733
Krimm, S.: see Tasumi, M.
Krishna Iyer, K. R., Neelakantan, P., and Radhakrishnan, T.: Birefringence of native cellulosic fibers. I. Untreated cotton and ramie, 1747
Kurata, M.: Excluded volume effect of linear polymer molecules, 1607
Kwei, T. K.: see Dammont, F. R.
Langley, N. R., Dickie, R. A., Wong, C.-P., Ferry, J. D., Chasset, R., and Thirion, P.: Low-frequency losses in rubber crosslinked in the presence of diluent, 1371
Liberti, F. N., and Wunderlich, B.: Melting of polycaprolactam, 833
Lightfoot, D. R.: see Saunders, D. W.
Liou, D. W.: see Suh, K. W.
Liquori, A. M., Anzuino, G., D'Alagni, M., Vitagliano, V., and Costantino, L.: Identification of a stereoblock poly(methyl methacrylate) sample with a stereocomplex, 509
Liu, K.-J.: NMR studies of polymer solutions. III. Conformational transition study of oligomeric polyethylene in mixed solvents, 947
— and Ullman, R.: On the possibility of chain folding in solutions of normal paraffins and polyethylene, 451
Luongo, J. P., and Schonhorn, H.: Infrared study of substrate effects in the surface region of polyethylene, 1649
Lyons, P. F.: see Tobolsky, A. V.
McAvoy, T. J.: see Reik, R. F.
Machi, S., and Toyota, N.: Single crystals of polyethylene produced by γ-radiation-induced polymerization, 289
Malone, C. P.: see Yau, W. W.
Mandelkern, L., Jain, N. L., and Kim, H.: Temperature dependence of the growth rate of spherulites, 165
—: see Kim, H.
Manke, R. G., Dickie, R. A., and Ferry, J. D.: Dynamic mechanical properties of crosslinked rubbers. V. An approximate analysis of the modulus contributions of trapped and untrapped entanglements, 1783
Maruno, S.: see Krigbaum, W. R.
Meier, D. J.: see Mitchell, J. C.
Meinel, G., and Peterlin, A.: Fuming nitric acid treatment of polyethylene. IV. Morphology of drawn polyethylene, 587
Miller, A. A.: Kinetic interpretation of the glass transition: Glass temperatures of *n*-alkane liquids and polyethylene, 249. Analysis of the melt viscosity and glass transition of polystyrene, 1161
Millmouth, F. W., Keller, A., Ward, I. M., and Williams, T.: Gel permeation chromatographic studies of the degradation of polyethylene with fuming nitric acid. III. Fibrous stirring-induced crystals, 1627
Mitchell, J. C., and Meier, D. J.: Rapid stress-induced crystallization in natural rubber, 1689
Miyasaka, K., and Ishikawa, K.: Effects of temperature and water on the $\gamma \rightarrow \alpha$ crystalline transition of nylon 6 caused by stretching in the chain direction, 1317
Morrow, D. R.: see Woodward, A. E.
Murayama, T., Dumbleton, J. H., and Williams, M. L.: Viscoelasticity of oriented poly(ethylene terephthalate), 787
Nagasawa, M.: see Fujimoto, T.
Nagasubramanian, K.: see Graessley, W. W.
Nakajima, A., and Fujiwara, H.: Phase relationships and thermodynamic interactions in isotactic polypropylene–diluent systems, 723
—and Saijyo, A.: Unperturbed chain dimensions of isotactic polypropylene in theta solvents, 735
Nakajima, T.: see Saito, S.
Nara, S., Shimada, S., Kashiwabara, H., and Sohma, J.: Relation of the decay of free radicals in irradiated polyethylene to the molecular motion of the polymer and the configurations of the free radicals, 1435
Neelakantan, P.: see Krishna Iyer, K. R.
Ninomiya, K.: see Valentine, R. H.
Nitta, K.: see Sugai, S.
Nomura, S. : see Takahara, H.
Ohnuma, H.: see Kotaka, T.
Okamoto, A.: see Hara, T.
Okamoto, S.: see Hara, T.
Okazaki, K.: see Takahara, H.
O'Konski, C. T.: see Yoshioka, K.
O'Reilly, J. M.: see Karasz, F. E.

Orofino, T. A.: Variation of polymer chain dimensions with temperature below the theta point, 575
Otocka, E. P., and Eirich, F. R.: Hydrogen bonding in butadiene copolymers. I. Network formation, 895. II. Network relaxation, 913. Ionic bonding in butadiene copolymers, I. Network formation, 921. II. Stress relaxation, 933
Otter, J. L. den: see Adamse, J. W. C.
Ozaki, N.: see Fujimoto, T.
Pae, K. D.: γ–α Solid–solid transition of isotactic polypropylene, 657
Parmerter, R. R.: see Glegg, R. E.
Parsons, D. A.: see Saunders, D. W.
Patterson, D.: see Dušek, K.
Pegoraro, M.: see Crugnola, A.
Peterlin, A., and Corneliussen, R.: Small-angle x-ray diffraction studies of plastically deformed polyethylene. II. Influence of draw temperature, draw ratio, annealing temperature, and time, 1273
—: see Bianchi, U.; Meinel, G.; Sakaoku, K.
Pispisa, B.: see Crescenzi, V.
Plazek, D. J.: Magnetic bearing torsional creep apparatus, 621
Prentice, J. S.: see Graessley, W. W.
Radhakrishnan, T.: see Krishna Iyer, K. R.
Rehage, G., and Wefers, W.: A sensitive method for testing monodispersity of high polymers, 1683
Reik, R. F., McAvoy, T. J., and Chappelear, D. C.: Diffusion in polymer–solvent systems. A study of numerical methods of simulation, 1863
Reimschuessel, H. K., Roldan, L. G., and Sibilia, J. P.: Structure of a novel polyimide, 559
Robertson, R. E., and Joynson, C. W.: Shearing of oriented polyethylene and polypropylene, 1673
Roldan, L. G.: see Reimschuessel, H. K.
Ryan, F. W.: see Schonhorn, H.
Sacher, E.: Fine structure in the dielectric β-relaxation of poly(ethylene terephthalate), 1935
Saidel, G. M., and Katz, S.: Dynamic analysis of branching in radical polymerization, 1149
Saijyo, A.: see Nakajima, A.
Saito, S., Sasabe, H., Nakajima, T., and Yada, K.: Dielectric relaxation and electrical conduction of polymers as a function of pressure and temperature, 1297
—: see Sasabe, H.
Saito, Y.: see Iwamoto, R.
Sakai, T.: Huggins constant k' for flexible chain polymers, 1535. Extrapolation procedures for intrinsic viscosity and for Huggins constant k', 1659
Sakai, Y.: see Iwasaki, M.
Sakamoto, K., Ishida, N., and Fukasawa, Y.: Normal stress effect of molten polyethylenes, 1999
Sakaoku, K., Clark, H. G., and Peterlin, A.: Crystallization patterns of nylon 4 from solution, 1035
Salee, G.: see Katz, D.
Salzer, J. S. T.: see Glegg, R. E.
Samuels, R. J.: Quantitative characterization of deformation in drawn polypropylene films, 1101. Quantitative characterization of deformation in polypropylene fibers, 2021
Sanders, J. F., Ferry, J. D., and Valentine, R. H.: Viscoelastic properties of 1,2-polybutadiene—Comparison with natural rubber and other elastomers, 967
Santappa, M.: see Karunakaran, K.
Sasabe, H., and Saito, S.: Dielectric relaxations and electrical conductivities of poly(alkyl methacrylates) under high pressure, 1401
—: see Saito, S.
Saunders, D. W., Lightfoot, D. R., and Parsons, D. A.: Temperature dependence of photoelastic properties of crosslinked amorphous polyethylenes, 1183
Scholte, Th. G.: Molecular weights and molecular weight distribution of polymers by equilibrium ultracentrifugation. I. Average molecular weight, 91. II. Molecular weight distribution, 111
Schonhorn, H., and Ryan, F. W.: Effect of morphology in the surface region of polymers on adhesion and adhesive joint strength, 231
—: see Luongo, J. P.
Schrag, J. L.: see Thurston, G. B.
Seanor, D. A.: Electronic and ionic conductivity in nylon 66, 463

Sharples, A.: see Binks, A. E.
Shibata, T.: see Hikichi, K.
Shimada, S.: see Nara, S.
Shimanouchi, T., and Abe, Y.: Skeleteal deformation vibrations and rotational isomerism of methylbutenes and methylpentenes as model compounds of 1,4-polyisoprene, 1419
Shyluk, W. P.: Poly(1,2-dimethyl-5-vinylpyridinium methyl sulfate). III. Adsorption on a crystalline silica, 2009
Sibilia, J. P.: see Reimschuessel, H. K.
Simha, R.: see Utracki, L. A.
Slade, P. E.: see Bell, J. P.
Sliemers, F. A.: see Boni, K. A.
Sloniewsky, A. R., Evans, G. T., and Ander, P.: Modified Zimm-Crothers rotating-cylinder viscometer, 1555
Smith, K. J., Jr.: Birefringence of semicrystalline, polymeric networks, 1723
—: see Bashaw, J.
Sobajima, S., Takagi, N., and Watase, H.: NMR studies of chlorinated poly(vinyl chloride) and polybutadiene, 223
Sohma, J.: see Nara, S.
Spencer, H. G., and Ibrahim, I. M.: Diffusion coefficients in water vapor–poly(vinyl alcohol) systems. Application of sorption-rate and multifilm-permeation methods, 2067
Sperling, L. H., and Tobolsky, A. V.: Network relaxation properties of crosslinked poly(ethyl acrylate) and polydimethylsiloxane in the rubbery plateau region, 259
Stachurski, Z. H., and Ward, I. M.: Anisotropy of viscoelastic transitions in oriented polyethylenes, 1083. β-Relaxations in polyethylenes and their anisotropy, 1817
Staverman, A. J.: see Koningsveld, R.
Stein, R. S.: Polarization of fluorescent light from uniaxially oriented rubber, 1975
—: see Adams, G. C.; Clough, S. B.; Yau, W.
Stern, S. A.: The "barrer" permeability unit, 1933
Stewart, C. W., and Frankenberg, C. A. v.: Significant structures theory of the surface tension of polyethylene, 1686
Stickney, P. B.: see Boni, K. A.
Suchan, K. L.: see Yau, W. W.
Sugai, S., Kamashima, K., and Nitta, K.: Poly(γ-alkyl L-glutamates). II. Optical rotatory dispersion studies in organic solvents, 1065
Sugita, M.: see Enomoto, S.
Suh, K. W., and Liou, D. W.: Phase equilibria in polymer–liquid–liquid systems, 813
Swenson, H. A., Kaustinen, H. M., Kaustinen, O. A., and Thompson, N. S.: Structure of gum arabic and its configuration in solution, 1593
Tadokoro, H.: see Iwamoto, R.; Kobayashi, M.
Tagami, Y.: see Casassa, E. F.
Takahara, H., Nomura, S., Kawai, H., Yamaguchi, Y., Okazaki, K., and Fukushima, A.: Dimensional stability of regenerated cellulose film in relation to orientations of crystalline and noncrystalline phases, 197
Takaji, N.: see Sobajima, S.
Takeda, M.: see Endō, R.
Tasumi, M., and Krimm, S.: Vibrational analysis of chain folding in polyethylene crystals, 995
Thirion, P.: see Langley, N. R.
Thompson, E. V.: Secondary processes of poly(methyl methacrylate) and their activation energies as determined by shear and tensile creep compliance measurements, 433
Thompson, N. S.: see Swenson, H. A.
Thurston, G. B., and Schrag, J. L.: Relaxation characteristics and intrinsic birefringence and viscosity of polystyrene solutions for a wide range of molecular weights, 1331
Tobolsky, A. V., and DuPré, D. B.: Damped torsional oscillator model for polymer molecules, 1177
—and Lyons, P. E.: Tensile strength of rubbers, 1561
—: see Sperling, L. H.
Toyota, N.: see Machi, S.
Tsumura, K.: see Kobayashi, M.
Tsutsumi, A., Hikichi, K., Kaneko, M., and Furuichi, J.: Nuclear magnetic resonance of poly-β-alanine, 493
—: see Hikichi, K.
Turnbull, D.: see Burns, J. R.
Ullman, R.: Liu, K.-J.
Utracki, L. A., Simha, R., and Fetters, L. J.: Solution properties of polystyrene–polybutadiene block copolymers, 2051

Valentine, R. H., Ferry, J. D., Homma, T., and Ninomiya, K.: Viscoelastic properties of polybutadienes—Linear and lightly crosslinked near the gel point, 479
—: see Sanders, J. F.
Vitagliano, V.: see Liquori, A. M.
Vrentas, J. S.: see Duda, J. L.
Vrij, A.: Equation for the interfacial tension between demixed polymer solutions, 1919
Wales, J. L. S.: see Adamse, J. W. C.
Wallach, M. L.: Structure–property relations of polyimide films, 953
Warburton, R. S.: see Glegg, R. E.
Ward, I. M.: see Brown, N.; Frank, F. C.; Millmouth, F. W.; Stachurski, Z. H.; Williams, T.
Watase, H.: see Sobajima, S.
Wefers, W.: see Rehage, G.
Wilchinsky, Z. W.: Determination of orientation of the crystalline and amorphous phases in polyethylene by x-ray diffraction, 281
Williams, A. D., and Flory, P. J.: Analysis of the random configuration of the polycarbonate of diphenol-2,2′-propane, 1945
Williams, M. L.: see Murayama, T.
Williams, T., Blundell, D. J., Keller, A., and Ward, I. M.: Gel permeation chromatographic studies of the degradation of polyethylene with fuming nitric acid. I. Single crystals, 1613
—, Keller, A., and Ward, I. M.: Gel permeation chromatographic studies of the degradation of polyethylene with fuming nitric acid. II. Bulk polyethylene, 1621
—: see Frank, F. C.; Millmouth, F. W.
Wong, C.-P.: see Langley, N. R.
Woodward, A. E., and Morrow, D. R.: Annealing of polybutene-1 single crystals, 1987
Wunderlich, B.: see Jaffe, M.; Liberti, F. N.
Yabuta, S., and Kase, S.: Distribution of tensile data of vulcanized rubbers. I. Tensile data of SBR vulcanizates loaded with light calcium carbonate, 639
Yada, K.: see Saito, S.
Yamaguchi, Y.: see Takahara, H.
Yannas, I.: Isochronal temperature–concentration diagram for a polymer–diluent system, 687
Yau, W., and Stein, R. S.: Optical studies of the stress-induced crystallization of rubber, 1
—, Suchan, H. L., and Malone, C. P.: Flow-rate dependence of gel permeation chromatography, 1349
Yoshioka, K., and O'Konski, C. T.: Electrical properties of macromolecules. XIII. Transient electric birefringence of sodium polyethylenesulfonate solutions, 421
Zahradnikova, A.: see Janacek, J.
Zimm, B. H.: see Harrington, R. E.

SUBJECT INDEX, VOLUME 6

Acetylation of cellulose I and II, 745
Activation energies, 433
Adhesion, effect of morphology on, 231
Adsorption, 2009
n-Alkane liquids, glass temperatures, 249
Anisotropy, 1817
  of viscoelastic transitions, 1083
Annealing, 1938, 1987
Annealing experiments, 1527
Annealing temperature, 1273
Archibald method, 1803
"Barrer" permeability unit, 1933
Benzophenone, 885, 1953
Biaxially oriented polymers, 1203
Birefringence, 795, 1723, 1747
  sodium polyethylenesulfonate, 421
Block copolymers, 2051
Branching in radical polymerization, 1149
Butadiene, viscoelasticity of block copolymer with styrene, 155
Butadiene copolymers, 895, 913, 921, 933
Calcium carbonate, 639
Cellulose, regenerated, dimensional stability of, 197
Cellulose I and II, 745
Cellulose tricarbanilates, 1953
Cellulosic fibers, native, 1747
Chain dimensions, variation of, with temperature below theta point, 575
Chain folding, 995
  in solutions, 451
Characterization, quantitative, 2021
Co(III) and Ni(II) complex ions, 1093
Comb-branched polymers, 1551
Conduction, electrical, in olefin oxide polymers, 407
Conformational stability, 1493
Conformational transition, 947
Cotton, untreated, 1747
Crack growth, solvent-induced, 1481
Crosslinked rubbers, 1783
Crystalline transition, $\gamma \rightarrow \alpha$, 1317
Crystallinity, degree of, 1733
  and orientation, 795
  of polyoctadecene-1, 241
Crystallite orientation, 1733
Crystallization, nucleation of, 775
  of polychlorotrifluoroethylene copolymer films, 31
  of rubber, 1
  stress-induced, rapid, 1689
Crystallization kinetics, 885, 1791, 1835
  of rubber, 181
Crystallization patterns, 1035
Crystallization rate, bulk, 695
Crystals, lamellar, 1938
Damped torsional oscillator model, 1177
Deformation, 2021
  quantitative characterization of, 1101
Degradation of polyethylene, 1613, 1627
Depolymerization, 1021
Dielectric properties, 1813
Dielectric relaxation, 1297, 1401
Dielectrics, 1241
Diffusion, 675, 1217, 1863
Diffusion coefficients, 2067
Diluent, rubbers crosslinked in presence of, 1371
Diluent–polymer system, 687, 885
Diphenol-2,2′-propane, 1945
Dispersion, low-temperature, 457, 1810
Drawing and growth of polyacrylonitrile crystals, 1381
Draw ratio, 1273
Draw temperature, 1273
Ductile behavior of single crystal mats, 707
Dynamic analysis, 1149
Dynamic mechanical properties, 1783
Electrical conduction, 1297
Electrical conductivities, 1401
Electrical properties, 1241
  of macromolecules, 421
Electrical transport, 1639
Electronic and ionic conductivity, 463
Electron spin resonance spectra, inhomogeneously broadened, 1451
  of peroxy radicals in polytetrafluoroethylene, 265
Entanglements, trapped and untrapped, modulus contributions of, 1783
Esters and salts of poly(methacrylic acid), 1451
Ether oxygen, 1810
Ethylene–propylene copolymers, 707
Excluded volume effect, 1607
Extended chain crystals, 825
Extrusion rheometer, 2043
Fast passage dispersion signals, 1451

Fibrous stirring-induced crystals, 1627
Films, polystyrene, 1639
Filters, plugging by polymers, 294
Fine structure, 1935
Flexible chain polymers, 1535
Flow birefringence, 1953
  and polydispersity, 141
Flow-rate dependence of GPC, 1349
Fluorescent light, polarization of, 1975
Fractionation, polymer, 367, 383
Free radicals, 1451
  decay of, 1435
Frequency distribution, normal, of chains, 529
Fuming nitric acid treatment, 587
Gel permeation chromatography, 1217, 1349, 1613, 1627, 1903
  calibration procedure for, 1357
  universal calibration, 1579
Gel permeation separation, 517
Gel point, 479
Glass transition point, 675, 1161
Gum arabic, 1593
Heat capacities, 849
Huggins constant, 1535, 1659
Hydrogen bonding, 895, 913
Hydrostatic pressure, 2043
Infrared spectra, 861
  of solutions, 1493
  of substrate effects, 1649
Interfacial tension, 1919
Intramolecular condensation, 1209
Intrinsic birefringence, 1331
Intrinsic viscosity, 1311, 1659, 1759
Ionic bonding, 921, 933
Ionic and electronic conductivity, 463
Ionizing radiation, 1241
Isotactic polymer chains, 1493
Isotactic polypropylene–diluent systems, 723
Kinetics, crystalline, of rubber, 181
  of glass transition, 249
Lamellar crystals, 1255
Light scattering, multiple-order, 783
Limiting viscosity, 745
Linear polymer molecules, 1607
Liquid–liquid–polymer systems, 813
Low molecular weight polymers, 1759
Maleic anhydride, 665
Mechanical behavior, high-temperature, 1705
Melting of polycaprolactam, 833
Melt viscosity, 1161, 2043
Mercuric chloride–poly(ethylene oxide), 1509
Methylbutenes, 1419
Methylene units of a polymer main chain, 457
Methylpentenes, 1419
Mixed solvents, 947
Molecular motion, 1435
Molecular weight determination, by equilibrium ultracentrifugation, 91, 111
Molecular weight distributions, 1457
  determination by equilibrium ultracentrifugation, 91, 111
Molecular weights, 1803
Monodispersity, 1683
Morphology, 981, 1255
  of drawn polyethylene, 587
Multifilm-permeation methods, 2067
Multiple melting, 1773
Natural rubber, 1689
  and other elastomers, 967
Network formation, 895
Network relaxation, 913
Nitric acid, fuming, 1621, 1627
Non-Newtonian intrinsic viscosity, 1011
Normal stress effect, 1999
Normal stresses, 1887
NMR, of drawn poly(ethylene glycol), 653
  of polychlorotrifluoroethylene, 961
  of poly-α-methylstyrene, 499
  of poly(vinyl chloride) and polybutadiene, 223
  of solutions, 947
Nucleation, 775
Numerical methods of simulation, 1863
Nylon 4, 1035
Nylon 6, 1317
Nylon 66, 463, 1773
  cold-drawn, 981
Nylon 66 fibers, drawn, 1527
Olefin oxide polymers, electrical conduction in, 407
Oligoethylene glycols, crosslinked, 801
Oligomeric polyethylene, 947
Optical rotatory dispersion, 1065
Organic solvents, 1065
Paraffins, normal, 451
Peak spreading, mathematical analysis of, 1903
Peroxy radicals, in polytetrafluoroethylene, 265
Phase equilibria, 813
Phase relationships, 723
Photoelastic properties, 1183
Polarized infrared absorption data, 1203
Polyacetaldehyde, 1021

Polyacrylonitrile crystals, 1381
Poly(γ-alkyl L-glutamates), 1065
Poly(alkyl methacrylates), 1401
Polybutadiene, nuclear magnetic resonance, 223
viscoelastic properties of, 479
1,2-Polybutadiene, 967
Polybutene-1, 1987
molten isotactic, 775
Polybutene oil, 1011
Polycaprolactam, 833
Polycarbonates, 1945
Polychlorotrifluoroethylene, 961
crystallization, 31
Poly(2,6-dimethyl-1,4-phenylene ether), 1141
Polydimethylsiloxane, relaxation properties, 259
Poly(1,2-dimethyl-5-vinylpyridinium methyl sulfate), 2009
Polydisperse polymers, branched, 1887
Polydispersity, and flow birefringence, 141
Polyelectrolytes, 1093, 1227
Poly(ethyl acrylate), relaxation properties, 259
Polyethylene, 451, 587, 1649, 1686, 1817
crosslinked amorphous, 1183
degradation of, 1621, 1627
glass temperatures, 249
irradiated, 1435
molten, 1999
orientation in, 281
oriented, 1083, 1678
plastically deformed, 1273
single crystals, 289
Polyethylene crystals, 995
Poly(ethylene glycol), drawn, 653
Poly(ethylene oxide) complexes, 1509
Poly(ethylene terephthalate), 795, 1935
oriented, 787
Polyimide, novel, structure of, 559
Polyimide films, 953
Polyisobutylene, 1011
1,4-Polyisoprene, model compounds of, 1419
Polymethacrylates, 1810
Poly(methacrylic acid), 1451
Poly(methyl acrylate), 713
Poly(methyl methacrylate), 1283
secondary processes of, 433
stereoblock, 509
Poly-α-methylstyrene, stress relaxation, 129
Polyoctadecene-1, transition temperature and crystallinity, 241
Polyoxymethylene, 825
Polypropylene, 1938
isotactic, 657, 735
molten, 871
oriented, 1678
thermally decomposed, 1255
Polypropylene crystals, 1255
Polypropylene fibers, 2021
Polypropylene films, drawn, 1101
Polystyrene, 1161
atactic, 675, 849
isotactic, 885, 1733, 1791, 1835
Polystyrene films, 1639
Poly(styrene-*co*-methyl acrylate), (1:1), 713
Polystyrene–polybutadiene block copolymers, 2051
Polystyrene solutions, 1331
Polytetrafluoroethylene, peroxy radicals in, 265
Poly(vinyl alcohol), 1051
Poly(vinyl alcohol)–water vapor systems, 2067
Poly(vinyl chloride), nuclear magnetic resonance, 223
unplasticized, 1705
Poly(vinyl fluoride), 1813
Poly(vinylidene fluoride), 861
γ-Radiation-induced polymerization, of polyethylene, 289
Radical polymerization, 1149
Ramie, untreated, 1747
Random configuration, 1945
Relaxation characteristics, 1311
poly(ethyl acrylate) and polydimethylsiloxane, 259
β-Relaxations, 1817
dielectric, 1935
Rheological properties, 801, 871
Ringed spherulites, 783
Rotational isomerism, 1419
Rubbers, crosslinked in presence of diluent, 1371
crystallization, 1
crystallization kinetics, 181
tensile strength of, 1561
uniaxially oriented, 1975
Rubbery block polymers, 1481
Second virial coefficient, 1227
Sedimentation transport method, 1457
Semicrystalline polymeric networks, 1723
Separation, liquid–liquid phase in polymer solutions, 305, 325, 349
Shearing, 1678

Shear and tensile creep compliance measurements, 433
Short-chain molecules, 1953
Significant structures theory, 1686
Silica, crystalline, 2009
Single crystal mats, 707
Single crystals, 1987
Skeletal deformation vibrations, 1419
Small-angle x-ray diffraction, 1273
Sodium polyethylenesulfonate, birefringence, 421
Solid–solid transition, 657
Solution properties, 713, 2051
of copolymers, 665
Solutions, chain folding in, 451
configuration in, of gum arabic, 1593
copolymer, 1803
demixed polymer, 1919
IR spectra of, 1493
polyacrylonitrile crystals grown from, 1381
polymer, 1011
Solvent–polymer systems, 1863
Sonic velocity, 795
Sorption-rate methods, 2067
Spectra, peroxy radicals in polytetrafluoroethylene, 265
Spherulites, temperature dependence of growth rate, 165
Spherulitic growth rate, 885, 1791
Spin-lattice relaxation times, 1451
Statistical thermodynamics, of polymer solutions, 63
Stereoblock poly(methyl methacrylate), 509
Stereocomplex, 509
Stochastic model, 517
Stress relaxation, 933
poly-α-methylstyrene, 129
Structure–property relationships, 953
Styrene, 665
viscoelasticity of block copolymer with butadiene, 155
SBR vulcanizates, 639
Substrate effects, 1649
Surface region, 1649
Surface tension, 1686
Swelling equilibrium, 1041
Swollen polymer networks, transition in, 1209
Temperature–concentration diagram, isochronal, 687
Temperature dependence of bulk crystallization rate, 695
Tensile data of vulcanized rubbers, 639
Tensile strength of rubbers, 1561
Thermal history, 1835
Thermodynamic interactions, 723
Thermodynamic properties, 1141
Thermoelasticity, 1041
Thermoelastic properties, 1051
Thermoluminescence, 1283
Theta point, temperatures below, 575
Theta solvents, 735
Torsional creep apparatus, magnetic bearing, 621
Transition temperature, of polyoctadecene-1, 241
Translational frictional constant, 1551
Ultracentrifugation, for determination of molecular weight and molecular weight distribution, 91, 111
Unperturbed chain dimensions, 735
Upper yield point, 607
Vibrational analysis, 995
Viscoelasticity, 787
butadiene–styrene block copolymer, 155
Viscoelastic properties, 967
of polybutadienes, 479
Viscoelastic transitions, 1083
Viscosity, 1887
Vulcanized rubbers, 639
Water, effect of, on $\gamma \rightarrow \alpha$ crystalline transition, 1317
Water vapor–poly(vinyl alcohol) systems, 2067
X-ray diffraction, 745
for determination of orientation, 281
X-rays, effect of, on extended chain crystals, 825
Ultracentrifugation, 1803
Upturn effect, 1011
Zimm-Crothers rotating-cylinder viscometer, modified, 1555